

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6272631".pn.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/18 08:04
L2	1	"20040180646"	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/18 08:04
S1	2	"6477645".pn. "20020023059"	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:12
S2	1	"697397" and lundblade-\$.in.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:56
S3	6818	(713/168 713/156 713/170 713/176 713/2 713/200 713/166).ccls.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:24
S4	3056	(705/76 705/67 705/52 705/39). ccls.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:25
S5	2476	(455/410 455/411 455/432.3). ccls.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:25
S6	2363	(726/26 726/4).ccls.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:26
S7	8274	(370/335 370/352).ccls.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:27
S8	5597	704/228.ccls. 709/223.ccls.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:27
S9	27878	S3 S4 S5 S6 S7 S8	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:28

EAST Search History

S10	49198	authent\$9 and network\$4 and server	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:32
S11	7345	S9 and S10	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:32
S12	1076	S11 and credential	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:32
S13	5341	authent\$9 near9 network\$4 near9 server	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:32
S14	1194	S13 and S9	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:32
S15	255	S14 and credential	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:33
S16	1	"7096004".pn.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:43
S17	2	"20020083340"	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:47
S18	1	"5452431".pn.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:47
S19	23	lundblade-\$in.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:57
S20	3270	qualcomm.as.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:57

EAST Search History

S21	6	S19 and S20	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:57
S22	8	S19 and S9	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:58
S23	273	S20 and S9	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 18:58



Welcome United States Patent and Trademark Office

☐ [Search Session History](#)
[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Mon, 18 Dec 2006, 11:49:39 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Search Query Display



Recent Search Queries

- #1 (((credential<and>network)<and>server)<AND>(authentication<in>metadata))
- #2 (((credential<and>network)<and>server)<AND>(authentication)<AND>(application<in>metadata)))
- #3 (((authentication<and>modification)<in>metadata))
- #4 (((credential<and>network)<and>server)<and>(authentication<in>metadata))) <and> (pyr >= 1950 <and> pyr <= 2003)
- #5 ((credential<and>network)<and>server) <and> (pyr >= 1950 <and> pyr <= 2003)
- #6 (((credential<and>network)<and>server) <and> (pyr >= 1950 <and> pyr <= 2003))<AND>((authentication)<and> (pyr >= 1950 <and> pyr <= 2003)<in>metadata))
- #7 ((((((credential<and>network)<and>server) <and> (pyr >= 1950 <and> pyr <= 2003))<and>((authentication)<and> (pyr >= 1950 <and> pyr <= 2003)<in>metadata)))<AND>(((credential<and>network)<and>server) <and> (pyr >= 1950 <and> pyr <= 2003))<and>((authentication)<and>(application)<in>metadata)))
- #8 (((((((credential<and>network)<and>server) <and> (pyr >= 1950 <and> pyr <= 2003))<and>((authentication)<and> (pyr >= 1950 <and> pyr <= 2003)<in>metadata)))<and>(((credential<and>network)<and>server) <and> (pyr >= 1950 <and> pyr <= 2003))<and>((authentication)<and>(application)<in>metadata)))<AND>((((credential<and>network)<and>server) <and> (pyr >= 1950 <and> pyr <= 2003))<and>((authentication)<and> (pyr >= 1950 <and> pyr <= 2003)<in>metadata)))<and>(((credential<and>network)<and>server) <and> (pyr >= 1950 <and> pyr <= 2003))<and>((modification)<and>(authentication)<and>(application)<in>metadata))))


[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE -- All Rights Reserved

Indexed by
 Inspec[®]